

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 6] NEW DELHI, SATURDAY, FEBRUARY 14, 1959/MAGHA 25, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th January, 1959

CHOLERA						SMALLPOX				PLAGUE				CHOLERA						SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Andhra Pradesh												Himachal Pradesh															
"N. R."												"N. R."															
Assam												Kerala															
Kamrup				1	4							Trivandrum				2	1										
TOTAL				1	4							Quilon				11	2										
Total for w/e 10-1-59				8	6							Alleppey				2	2										
Total for w/e 3-1-59	10	3			5							Kottayam					2										
Bihar												Trichur															
Muzaffarpur				6	1							Palaghat				6	3										
Darbhanga				7	2							Kozhikode				4	1										
Monghyr				12	5							Cannanore				2	6										
Purnea				8	1							TOTAL				58	25										
Ranchi				1								Total for w/e 10-1-59				99	32										
Palamau				4	1							Total for w/e 3-1-59				55	15										
TOTAL				38	10							Madhya Pradesh															
Total for w/e 10-1-59				120	29							"N. R."															
Total for w/e 3-1-59				"N.R."								Madras															
Bombay												Madras City															
Greater Bombay				2	1							Chingleput				51	19	10	2								
Ahmedabad				2								South Arcot				6	4	3	1								
Amreli				1								Tanjore						5	1								
Mehsana				31	5							North Arcot				4	2	10	4								
Ahmednagar				15	3							Ramanathapuram						4									
East Khandesh				29	1							Salem						39	4								
Nasik				27	3							Coimbatore						28	8								
Poona				16	3							Kanya Kumari							1								
North Satara				7	1							TOTAL				128	40	144	31								
Buldhana				8								Total for w/e 10-1-59				89	36	135	32								
Yeotmal				6	1							Total for w/e 3-1-59				75	25	172	49								
Banaskantha				3								Manipur															
TOTAL				147	18							TOTAL															
Total for w/e 10-1-59				102	15							Total for w/e 10-1-59															
Total for w/e 3-1-59	2	1		96	10							Total for w/e 3-1-59															
Delhi												Mysore															
Delhi City				4								Bangalore				7	1										
Delhi Civil Lines Zone				2	3							Chikmagalur				1											
TOTAL				6	3																						
Total for w/e 10-1-59				12	3																						
Total for w/e 3-1-59				7																							

Explanation of Symbols used : —C.=Cases; D.=Deaths; . = Nil. "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th January 1959—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Mysore—contd.												Uttar Pradesh—contd.											
Mysore	1	Varanasi	1	
Raichur	13	1	Unnao	2	1	
Belgaum	1	Deoria	7	2	
Bijapur	12	Pilibhit	7	3	
Dharwar	10	2	Rampur	1	
South Kanara	1	Banda	2	
Coorg (Mercara)	2	TOTAL	103	36	
TOTAL	48	4	Total for w/e 10-1-59	109	24	
Total for w/e 10-1-59	1	38	6	2	2	Total for w/e 3-1-59	120	54	
Total for w/e 3-1-59	38	5	West Bengal															
Orissa								Burdwan	18	7	
Cuttack	1	Birbhum	2	
..	25	1	Bankura	11	7	
Balasore	..	8	1	Midnapur	21	6	
Ganjam	..	1	1	33	6	Hooghly	22	6	
Koraput	53	8	Howrah	4	
Sambalpur	20	4	24-Parganas	63	24	
Dhenkanal	2	Calcutta	2	2	
Sundergarh	27	4	Nadia	4	1	
Bolangir-Patna	59	25	Murshidabad	6	2	
Khondamah	2	2	West Dinaiapur	..	3	2	17	8	
Mayurbhanj	1	Darjeeling	6	1	
Kalahandi	27	2	Malda	51	19	
TOTAL	..	9	2	250	52	Cooch Behar	3	
Total for w/e 10-1-59	48	28	218	44	Purulia	23	15	
Total for w/e 3-1-59	35	21	292	89	TOTAL	..	7	2	249	98	
Pondicherry								Total for w/e 10-1-59	3	..	235	77	
TOTAL	12	2	Total for w/e 3-1-59	8	5	154	53	
Total for w/e 10-1-59	5	2	9	6	Total for India (Ex-	
Total for w/e 3-1-59	7	5	cluding	
Punjab								Andhra Pradesh,	
"N. R."								Himachal Pradesh,	
Rajasthan								Madhya Pradesh,	
"N. R."								Punjab, Rajasthan,	
Tripura								and Tripura	
"N. R."								
Uttar Pradesh								144	44	1056	283
Allahabad	5	Corresponding total	
Aligarh	13	2	for w/e 10-1-59	..	146	66	1085	274	2	2	
Azamgarh	6	5	*Corresponding total	
Ballia	4	1	for w/e 3-1-59	..	130	55	241	285	
Bijnor	4	2	*Excluding Bihar	
Etawah	3	3	ARREAR INFORMATION															
Farrukhabad	1	Bombay															
Faizabad	1	w/e 10-1-59															
Gazipur	8	5	Greater Bombay	2	
Gorakhpur	2	2	Ahmednagar	27	1	
Kanpur	7	2	East Khandesh	19	7	
Muzaffarnagar	3	North Satara	10	
Saharanpur	14	3	Nasik	18	5	
Shohjanpur	13	4	Poona	6	1	
..	Sholapur	5	
..	West Khandesh	3	
..	Chanda	2	
..	Yeotmal	1	1	
..	Thane	9	
..	TOTAL	102	15	

Explanation of Symbols used;—C = Cases D = Deaths; .. = Nil.

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 17th January, 1959—concl'd.

CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				PLAGUE				
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		
Madhya Pradesh								Madhya Pradesh—contd																
w/e 3-1-59								w/e 13-12-58																
Raigarh	56	7	Raigarh	282	32							
Raisen	9	Shahdol	2							
Surguja	6	Surguja	20	2							
Sagar	3	Bilaspur	32	1							
TOTAL		74	7	TOTAL	334	37							
w/e 22-11-58								w/e 20-12-58																
Balaghat	6	Raigarh	51	9							
Bilaspur	.	.	12	5	Surguja	73	16							
Raigarh	3	Balaghat	17	1							
TOTAL	.	.	12	5	9	TOTAL	141	26							
w/e 29-11-58								w/e 27-12-58																
Narsinghpur	2	Balaghat	6	..	—								
Raigarh	9	2	Raigarh	33	8							
TOTAL	11	2	Surguja	113	17							
w/e 6-12-58								TOTAL																
Raigarh	44	10	152	19								
Bilaspur	17	REMARKS															
Betul	11	5	Cholera: Heavy incidence were reported from Madras city.															
Balaghat	15	2	.	..	Smallpox: Heavy incidence were reported from Malda district of West Bengal and also from Bolangir district of Orissa State.															
Narsinghpur	1																
TOTAL		88	17																

Explanation of Symbols used : —C, = Cases ; D, = Deaths; .. = Nil; "N.R." = Information not received.

NEW DELHI-2 (INDIA); \
The 9th February 1959 }

H. R. SHARMA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES		Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES		4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS		2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES		
Issue Prices : Rs. 3,325/-, Rs. 6,650/-, Rs. 13,300/-, & Rs. 26,600/-		Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX		
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.		INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh		"N.R."													
Assam		"N.R."													
Bihar															
Arrah	75	6	4.2	1	0.7	..	
Bettiah	41	13	16.5	1	5	6.3	..	
Bhagalpur	136	27	10.3	1	18	6.9	..	
Bihar	71	13	10.6	..	1	3	3.3	..	
Chapra	73	43	30.6	10	7.1	3	
Darbhanga	100	28	14.6	2	1	1	10	5.2	..	
Dhanbad†															
Dinapur†															
Gaya	163	30	11.5	18	3	12	49	15.6	..	
Hazaribagh	44	7	8.3	3	3.5	1	
Jamalpur	49	4	4.2	1	2	2.1	..	
Jamshedpur	275	157	29.7	..	1	1	5	1	..	23	4.3	4	
Katihar	63	6	5.0	2	1	1.7	..	
Monghyr†															
Muzaffarpur†															
Patna	386	318	42.8	3	3	38	5.1	..	
Ranchi	167	25	7.8	..	1	..	5	2	23	7.2	..	
TOTAL	1,643	683	21.6	..	3	..	33	10	18	1	..	187	5.9	8	
Bombay		"N.R."													
Delhi															
Delhi City	1,398	535	19.9	17	6	30	117	4.4	24	
New Delhi	600	76	6.7	1	3	40	3.5	5	
N.A.C. Civil Station, Delhi	227	91	20.8	..	3	..	2	..	8	45	10.3	13	
Delhi Cantt.	63	
Delhi Shahdara	52	5	5.0	2	..	6	14	14.0	2	
TOTAL	2,340	707	15.7	..	3	..	21	7	47	216	4.8	44	
Kerala		"N.R."													
Madhya Pradesh		"N.R."													
Madras															
Ambur	48	21	22.7	2	1	7	7.6	2	
Arrupukottai	64	30	24.4	2	6	2	28	22.7	5	
Bodinayakanur†															
Chidambaram	44	15	17.7	6	7.1	..	
Coimbatore	279	261	48.6	..	6	..	2	13	10	2	..	94	17.5	31	
Cuddalore	77	18	12.2	2	2	11	7.4	1	
Dindigul	103	30	15.1	6	1	2	17	8.6	3	
Erode	79	47	30.3	2	..	4	2	..	17	11.2	5	
Gobichettipalayam	51	30	30.6	2	7	7.1	1	
Gudiyattam	60	30	26.0	1	8	6.9	5	
Kanacepuram	94	41	22.7	1	12	28	15.5	7	
Karaikudi	49	27	28.7	5	1	1	14	14.9	2	
Karur	60	15	13.0	2	8	6.9	4	
Kumbakonam†															
Madras City	2110	845	20.8	15	12	..	68	108	185	2	..	687	16.9	164	
Madurai	510	349	35.6	13	10	24	1	..	141	14.4	26	
Meyuram	55	39	36.9	9	8.5	2	
Maliapalayam	44	5	5.9	1	3	3.5	..	
Nagapattinam	62	51	42.8	4	2	3	24	20.1	3	
Nagercoil	113	60	27.6	1	4	14	6.4	1	
Ootacamund	54	25	25.0	5	12	11.6	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoeas ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January 1959—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Pelni†														
Palayamkottai	50	42	43·7	1	2	1	..	14	14·6	3	
Periyakulam	36	27	39·0	1	1	7	10·1	..	
Pollachi	63	41	33·8	1	1	4	..	17	14·0	3	
Pudukottai	56	32	29·7	1	11	10·2	3	
Rajapalayam	77	25	16·9	2	2	1	..	14	9·5	4	
Salem	293	170	30·2	..	1	..	6	4	14	..	67	11·9	7	
Sriangam	48	26	28·2	1	1	..	4	4·3	1	
Srivilliputtur	46	27	30·5	1	10	11·3	3	
Tanjore	138	16	6·0	..	1	1	1	..	14	5·3	1	
Tiruchirappalli	285	81	14·8	2	3	4	2	55	10·0	10	
Tirunelveli	86	45	27·8	1	1	..	12	7·3	3	
Tiruppur	77	39	26·5	5	..	17	11·5	2	
Tiruvannamalai	48	21	22·7	1	4	5	1	17	18·4	3	
Tuticorin	124	56	23·5	1	1	10	..	24	10·1	8	
Vaniyambadi	46	23	26·0	1	5	..	12	13·6	4	
Vellore	147	115	40·7	4	18	..	53	18·7	14	
Villapuram	42	20	24·8	1	1	7	8·7	2	
Virudhunagar	59	21	18·5	1	1	1	..	8	7·1	1	
TOTAL	5,621	2,768	25·4	15	20	..	123	177	326	10	1,499	13·7	335	
Mysore														
Bangalore	1,258	492	20·3	1	45	38	..	177	7·3	2	
Mysore	364	133	19·0	15	7	4	4	77	11·0	1	
Kolar Gold Fields	183	124	35·2	2	5	4	..	55	15·6	3	
Bellary	85	176	107·6	2	4	..	22	13·4	3	
Davanagere	86	161	97·3	..	1	11	6·6	1	
Shironga	71	31	22·7	7	10	7·3	..	
Bhadravati†														
Hospet	54	20	19·2	5	4·8	..	
Tumkur	54	17	16·3	9	9	8·6	..	
Kolar†														
Chitaldrug†														
Hassan†														
Bidar†														
Gulbergat†														
Raichur†														
Bijapur†														
Belgaum	114	84	38·4	2	..	3	1	27	12·3	..	
Dharwar	87	17	10·1	19	11·3	..	
Bagalkot	41	26	32·9	2	..	1	..	11	13·9	..	
Mangalore	159	165	53·9	3	..	1	..	23	7·5	1	
Gadag Betegere	74	59	41·4	3	..	6	1	22	15·4	1	
Hubli†														
TOTAL	2,630	1,505	29·8	..	1	..	44	59	61	6	468	9·3	12	
Orissa														
Behranipur	84	62	38·4	1	7	2	..	23	14·2	2	
Cuttack	134	142	55·1	12	9	13	..	58	22·5	9	
Puri	57	44	40·1	2	6	2	1	40	36·5	9	
TOTAL	275	248	46·9	15	22	17	1	121	22·9	20	
Pondicherry	68	54	41·2	1	3	4	1	16	12·2	9	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab														
Ambala	63	36	29.7	2	..	4	..	7	5.8	5	
Amritsar	367	127	18.0	1	8	25	1	75	10.6	16	
Batala	68	3	28.3	4	..	1	..	11	8.4	2	
Bhivani	60	50	43.3	3	1	1	..	7	6.1	2	
Ferozepur†	
Hissar	42	36	44.6	1	..	7	..	9	11.1	6	
Hoshiarpur	56	16	14.9	4	9	8.4	..	
Jullundur	240	128	27.7	9	2	6	1	30	6.5	5	
Karnal	87	40	23.9	1	..	2	..	9	5.4	1	
Ludhiana	200	131	34.1	2	..	10	..	38	9.9	12	
Moga	46	23	26.0	3	..	6	6.8	2	
Panipat	75	20	13.9	6	7	4.9	1	
Pathankot	38	15	20.5	1	..	1	..	4	5.5	2	
Rewari	37	24	33.7	2	..	1	..	3	4.2	..	
Rohtak†	
Simla	54	29	27.9	7	6.7	3	
Sonepat†	
Bhatinda	47	22	24.3	1	1	1.1	..	
Malerkotla	36	29	41.9	6	10	14.4	..	
Patiala	129	40	16.1	11	1	9	..	33	13.3	16	
TOTAL	1,645	803	25.4	54	12	70	2	266	8.4	73	
Rajasthan														
Ajmer	250	65	13.5	4	3	8	..	25	5.2	1	
Alwar†	
Beawar	67	10	7.7	1	1	18	13.7	4	
Bharatpur†	
Bikaner†	
Churu	54	8	7.6	
Ganganagar†	
Jaipur	443	94	11.0	54	5	1	..	94	11.0	25	
Jodhpur†	
Kotah	85	13	7.9	..	1	..	4	..	1	..	7	4.2	1	
Sikar	57	6	5.0	
Tonk†	
Udaipur†	
TOTAL	926	196	11.0	..	1	..	69	9	10	..	144	8.1	31	
Uttar Pradesh														
Agra	414	395	49.6	4	47	..	98	12.3	22	
Allahabad	381	190	25.9	..	1	..	1	3	25	..	54	7.4	8	
Amroha	62	57	47.8	1	2	10	..	19	15.9	3	
Bahraich	49	30	31.8	1	..	1	..	5	5.3	1	
Banaras	426	302	36.8	29	4	7	..	124	15.1	24	
Banda†	
Bareilly	206	57	14.4	4	3	13	..	27	6.8	7	
Basti†	
Ballia†	
Bijnor	33	13	20.5	2	..	2	..	5	7.9	1	
Budaun	55	30	28.4	4	1	1	..	11	10.4	3	
Bulandshahr	45	11	12.7	2	2	2.3	..	
Chandausi	45	31	35.8	1	9	..	14	16.2	6	
Dehra Dun	187	105	29.2	3	..	5	..	25	7.0	8	
Etawah	67	50	38.8	6	..	8	..	21	16.3	5	
Faizabad-Ayodhya	97	41	22.0	2	1	5	..	12	6.4	1	
Farukhabad-Fatehgarh	79	41	27.0	..	1	..	5	2	3	..	15	9.9	2	
Firozabad	95	42	23.0	1	..	1	..	6	3.3	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Birth ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959—*contd.*

Towns	Mid year. Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Ghazipur	36	19	27.4	3	2	2	..	9	13.0	1	
Ghaziabad	72	34	24.6	1	..	5	3.6	1	
Gonda	36	11	15.9	1	2	2.9	..	
Gorakhpur	155	65	21.8	5	6	5	..	31	10.4	4	
Hapur	67	36	27.9	5	..	3	..	13	10.1	4	
Hardwar	76	32	21.8	2	..	7	..	16	10.9	2	
Hathras	66	31	24.4	7	..	9	..	21	16.3	5	
Jaunpur	60	30	26.0	3	..	2	..	9	7.8	1	
Jhansi	135	90	34.7	18	..	1	..	25	9.6	4	
Kanpur	842	285	17.6	..	1	..	111	25	44	8	305	18.8	63	
Kasganj	34	14	21.5	1	2	3.1	..	
Khurja	41	22	28.0	6	1	1	..	14	17.8	2	
Koili-Aligarh	171	170	51.7	5	4	12	..	25	7.6	7	
Lucknow	539	344	33.2	16	3	28	..	12	1.2	34	
Mathura	121	88	37.8	11	1	5	1	22	9.5	7	
Mau-Nath Bhanjant														
Mecrut	203	111	28.4	4	1	6	..	20	3.1	6	
Mirzapur-Vindhyachal	102	38	10.4	2	1	7	..	15	7.6	4	
Moradabad	166	135	42.3	5	..	17	..	35	1.1	8	
Muzaffarnager	83	53	33.2	3	..	2	..	8	5.0	3	
Pilibhit †														
Rampur†	188	57	15.8	1	4	1.1	..	
Saharanpur	183	105	29.8	21	..	6	..	44	12.5	1	
Sambhal†														
Sitapur	54	28	27.0	1	..	3	2.9	2	
Shahjahanpur	113	62	28.5	18	1	3	..	29	13.3	12	
TOTAL	5,739	3,255	29.5	..	3	..	308	67	299	9	1,224	11.1	263	
West Bengal														
"N.R."														

ARREAR INFORMATION

w/e 10-1-59

Andhra Pradesh:

Adoni	76	50	34.2	1	2	11	7.5	2
Anantpur	44	18	21.3	1	2	..	8	9.5	..
Anakapalli	52	30	30.0	2	..	2	..	14	14.0	2
Bhimavaram	43	30	36.3	1	1	..	10	12.1	3
Chirala	50	14	14.6	2	..	1	..	9	9.4	..
Chittoor	51	29	29.6	1	3	3.1	..
Cuddapah	47	38	42.0	1	1	2	1	9	10.0	..
Ellore	112	25	11.6	2	..	4	..	21	9.7	3
Gudivada	41	15	19.0	3	5	6.3	1
Guntur	175	107	31.8	3	3	3	..	75	22.3	29
Guntakal	45	19	29.6	2	..	4	..	11	17.1	..
Kakinada†													
Kurnool†													
Masulipatnam	98	61	32.4	2	1	2	..	35	18.6	2
Nandyal	41	15	9.0	1	5	6.3	..
Nellore	111	106	49.6	7	37	17.3	8
Proddutur†													
Rajahmundry†													
Tenali	78	43	28.7	2	4	..	19	12.7	9
Vijayawada	271	175	14.4	10	6	6	3	56	10.8	16
Visakhapatnam	155	62	17.4	8	10	20	..	49	16.4	6
Vizianagaram	83	31	19.4	1	3	2	..	23	14.4	2
Hyderabad†													
Warrangal†													
Nizamabad	85	11	6.7	2	1.2	..
Kothagudiam	80	18	11.7	4	2.6	..
Secunderabad	195	127	33.9	6	1	3	..	42	11.2	8
TOTAL	1,933	924	24.9	7	44	31	56	5	448	12.1	91

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information. "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959—*contd.*

Deaths from :—

Towns	Mid.- year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	R.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>w/e 27-12-58</i>													
Bombay													
Ahmedabad	970	715	38.3	18	11	57	..	252	13.5	73
Ahmednagar	108	67	32.3	2	1	3	..	28	13.5	7
Amalner	54	28	27.0	7	..	2	..	11	10.6	4
Baroda	266	236	46.1	13	1	17	..	72	14.1	16
Barshi	48	28	30.3	4	12	13.0	2
Bhusawal	73	49	34.9	13	..	4	..	24	17.1	2
Broach	68	67	51.2	6	9	28	21.4	..
Cambay	42	25	31.0	3	5	..	21	26.0	5
Chalisgaon	38	26	35.6	1	..	1	..	2	2.7	1
Dhulia	101	44	22.7	2	..	4	1	18	9.3	2
Godhra	41	34	40.1	8	15	20.0	..
Greater Bombay	4,117	2,715	34.3	3	35	106	2	599	7.6	165
Jalgaon	88	25	14.8	3	..	3	1	18	10.6	..
Kalyan	93	32	17.9	2	1	2	..	11	6.2	4
Kolhapur	181	108	31.0	1	1	2	..	10	4.6	1
Malegaon	74	42	29.5	..	1	..	7	..	2	..	20	14.0	5
Miraj	47	34	37.6	1	18	19.8	..
Nadiad	78	57	38.0	..	1	..	8	..	1	..	19	12.7	3
Nandurbar	38	21	28.7	1	..	1	..	10	13.7	3
Nasik	151	106	36.5	7	..	8	1	26	9.0	11
Narsari	52	36	36.0	9	14	14.0	2
Pandharpur	47	43	47.6	4	3	5	..	24	26.6	8
Pataur	49	38	40.3	8	3	1	..	21	22.3	5
Poona	717	314	22.7	2	26	..	103	7.4	23
Sangli	66	28	22.1	2	2	3	..	16	12.6	1
Satara	43	35	42.3	2	1	..	12	14.5	2
Sholapur	325	277	44.3	6	7	37	..	121	19.4	27
Surat	270	197	37.6	3	2	10	..	79	15.2	21
Thana†
Bhavnagar	171	81	24.6	6	2	10	..	37	11.3	8
Dhoraji	49	30	31.8	5	..	1	..	10	10.6	1
Jamnagar	138	21	7.2	6	1	4	..	21	7.2	6
Junagarh	66	37	29.2	5	2	1	2	16	12.6	4
Morvi	44	26	30.7	2	..	1	..	4	4.7	..
Porbander	68	14	10.7	3	1	3	2	18	13.8	1
Gondal	43	25	30.2	3	..	5	..	9	10.9	..
Rajkot	217	95	22.8	5	3	6	..	32	7.7	6
Vcraval	50	9	9.4	3	2	11	11.4	2
Surendranagar	52	13	13.0	9	13	13.0	1
Nagpur	602	156	13.5	33	18	37	6	346	29.9	110
Achalpur	39	27	36.0	2	1	1	..	12	16.0	5
Akola†
Chanda	45	25	28.9	8	9	10.3	3
Gondia	56	27	25.1	5	9	8.4	4
Hinganghat	37	25	35.1	2	1	12	16.9	2
Khamgaon	47	39	43.1	4	7	7.7	3
Wardha	51	15	15.3	2	3	3.1	1
Ycetmal	45	25	28.9	9	2	22	25.4	2
Kamptee	40	20	26.0	3	..	1	..	5	6.5	..
Amravati	111	124	58.1	5	4	2	..	60	28.4	6
Aurangabad	81	16	10.3	1	5	3.2	..
Lathur	46	13	14.7	2	..	5	5.7	..
Nanded	98	17	8.1	3	1.6	..
Parbhani	46†
Jalna	80†
TOTAL	10,441	6,307	31.4	..	2	..	253	123	375	16	2,280	11.4	558

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959—*contd.*

Deaths from

Towns	Mid.-year. popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay													
w/e 3-1-59													
Ahmedabad	1001	751	39.0	22	10	72	..	312	16.2	67
Ahmednagar	112	73	33.9	3	1	..	39	18.1	24
Amalner	55	26	24.6	5	..	1	..	8	7.6	1
Baroda	277	214	40.2	14	1	9	..	67	12.6	13
Barsi	49	13	13.8	4	..	1	..	13	13.8	2
Bhusawal	76	31	21.2	1	3	..	13	8.9	1
Broach†
Cambay	43	50	60.5	2	..	22	26.5	3
Chalisgaon	39	36	48.0	3	..	1	..	7	9.3	1
Dhulia	105	60	29.7	10	1	5	..	20	9.9	4
Godhra	42	41	50.8	7	12	14.9	5
Greater Bombay	4,344	3,042	36.7	..	1	..	5	33	118	3	696	8.3	204
Jalgaon	91	166	94.5	3	..	5	..	8	10.3	1
Kaiyan	94	31	19.1	1	..	2	..	9	5.0	2
Kolhapur	189	172	47.3	2	1	11	..	31	8.5	2
Malegaon	77	42	28.4	..	1	..	17	2	1	..	26	17.6	12
Miraj	48	12	13.0	12	13.0	..
Nadiad	80	72	46.8	11	1	1	..	31	20.2	7
Nandurbar	39	33	44.0	1	..	8	10.7	5
Nasik	153	83	28.2	6	1	3	..	27	9.2	6
Narsari	54	33	31.8	5	8	7.7	2
Pandharpur	48	33	35.8	2	3	7	..	18	21.2	5
Patan	50	33	34.3	1	1	5	..	22	22.9	4
Poona	727	446	31.9	1	3	17	..	107	7.7	24
Sangli	68	37	28.3	2	8	6.1	2
Satara	43	32	38.7	1	1	..	17	20.6	2
Sholapur	333	208	32.5	6	9	42	..	112	14.5	23
Surat	279	225	41.9	18	8	16	1	99	18.5	27
Thana†
Bhavnagar	177	108	31.7	8	3	5	..	34	10.0	9
Dhoraji	49	27	28.7	4	..	1	..	8	8.5	..
Jamnagar	143	7	2.5	7	1	2	..	17	6.2	3
Junagarh	67	34	26.4	9	..	2	2	29	22.5	3
Morvi	44	26	30.7	2	3	3.5	1
Porbander	69	23	17.3	7	..	2	1	19	14.3	3
Gondal	43	24	29.0	1	5	6.0	..
Rajkot	219	119	28.2	..	1	..	7	2	5	..	26	8.3	10
Veraval	51	22	22.4	3	9	9.2	..
Surendranagar	53	15	14.7	7	9	8.8	..
Nagpur	624	1205	100.4	..	2	..	56	26	40	17	530	44.2	147
Achalpur	40	15	19.5	2	..	5	6.5	2
Akola†
Chanda	46	21	23.7	1	1	1	..	11	12.4	4
Gondia†
Hingangaht	37	33	46.5	4	11	15.5	4
Khamgaon	48	37	40.1	4	6	6.5	1
Wardha	53	42	40.1	4	5	4.9	3
Yeotmal	46	22	24.9	6	1	4	..	16	18.1	4
Kamptee	42	24	29.7	1	..	1	..	7	8.7	3
Amravati	116	37	16.6	1	..	2	..	15	6.7	6
Aurangabad	83	10	6.3	4	2.5	..
Lathur	47	17	18.8	1	..	5	5.5	..
Nanded	98	34	17.9	1	..	8	4.2	1
Parbhani	48	1	1.1	2	1	1	..	3	3.3	..
Jalna†
TOTAL	10,759	7,918	38.4	..	5	..	281	113	395	24	2,556	12.4	653

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Birth ; B.R. =Birth Rate ; C. =Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay														
w/e 10-1-59														
Ahmedabad	1001	812	42.2	19	10	70	..	265	13.5	74	
Ahmednagar	112	69	32.0	2	2	6	..	27	12.5	3	
Amalner	55	24	22.7	1	..	1	..	7	6.6	..	
Baroda†														
Barsi	49	20	21.2	4	16	17.0	1	
Bhusawal	76	36	24.6	1	..	1	..	5	3.6	2	
Broach	69	60	45.2	5	..	1	..	14	10.6	..	
Cambay	43	36	43.5	1	..	9	10.9	4	
Chalisgaon	30	22	29.3	2	5	6.6	2	
Dhulia	105	64	31.7	9	..	2	..	19	9.4	3	
Godhra	42	45	55.7	6	1	13	16.1	4	
Greater Bombay	4,344	1,716	20.6	2	19	106	..	650	7.8	175	
Jalgaon	91	36	20.6	5	..	2	1	17	9.7	2	
Kalyan	94	47	26.9	1	..	2	..	7	4.9	1	
Kolhapur	189	102	28.1	3	2	8	..	46	12.7	5	
Malegaon	77	52	35.1	..	1	..	19	1	3	..	35	23.6	3	
Miraj	48	11	11.9	10	10.9	..	
Nadiad	80	38	24.7	6	1	..	1	14	7.2	5	
Nandurbar	39	29	38.7	1	..	2	..	6	8.0	3	
Nasik	153	76	25.8	5	2	6	..	24	7.9	..	
Narsari	54	34	32.1	6	10	9.6	1	
Pandharpur	48	38	41.2	6	1	6	..	20	21.7	4	
Patan	50	33	34.3	3	4	4	..	28	29.1	4	
Poona	727	292	20.9	2	15	..	90	6.4	21	
Sangli	68	36	27.5	18	13.8	2	
Satara	43	29	35.1	2	11	13.3	2	
Sholapur	333	256	40.0	5	3	46	..	114	17.8	18	
Surat	279	223	41.6	6	2	14	1	77	14.4	26	
Thana†														
Bhavnagar†														
Dhoraji	49	31	32.9	3	7	7.4	3	
Jamnagar	143	25	9.1	6	..	3	..	20	7.3	4	
Junagarh	67	42	32.6	5	..	4	1	22	17.0	5	
Morvi	44	15	17.7	2	2.4	..	
Porbander	69	68	51.2	10	3	1	..	28	21.1	9	
Gondal	43	24	29.0	3	1	1	..	9	10.9	..	
Rajkot	219	148	35.1	7	..	3	..	34	8.1	7	
Veraval	51	16	16.3	4	..	2	..	14	14.3	1	
Surendranagar	53	16	15.7	7	12	11.8	1	
Nagpur	624	218	18.2	13	5	21	3	192	15.8	64	
Achalpur	40	20	26.0	2	1	3	..	12	15.6	2	
Akola†														
Chanda	46	44	49.7	13	..	2	..	27	30.5	1	
Gondia	57	32	29.2	6	9	8.2	1	
Hinganghat	37	31	43.6	5	12	16.9	3	
Khamgaon	47	17	18.4	4	7	7.6	1	
Wardha	53	16	15.7	2	6	5.9	..	
Yeotmal	46	39	44.1	..	1	..	5	4	7	..	29	32.8	8	
Kamptee	42	26	32.2	5	6.2	2	
Amravati	116	143	64.1	5	1	17	7.6	4	
Aurangabad	83	10	6.3	1	1	3	..	7	4.4	..	
Lathur	47	13	14.4	1	1	3	3.3	..	
Nanded	96	20	10.6	2	..	3	1.6	..	
Parbhani	48	2	2.2	1	1	1.1	..	
Jalna †														
TOTAL	10,431	5,252	26.2	..	2	..	220	67	349	11	2,035	10.1	481	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959 — *contd.*

Towns	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Delhi														
w/e 10-1-59														
Delhi City	1,398	539	25.5	18	2	38	1	135	5.0	33	
New Delhi	600	65	5.6	1	..	25	2.2	5	
N.A.C. Civil Station, Delhi	277	123	28.2	..	3	..	3	2	8	..	63	14.4	4	
Delhi Cantt.	63	25	20.6	6	5.0	..	
Delhi Shahdara	52	75	75.0	2	..	2	2.0	1	
TOTAL	2,340	827	18.4	..	3	..	21	4	49	1	229	5.1	43	
Kerala														
w/e 13-12-58														
Alleppey	195	6	16.0	1	..	1	0.3	..	
Changanacherry	44	4	4.7	2	2.4	..	
Kottayam	55	5	4.7	2	1.9	..	
Ernakulam	77	1	0.7	1	0.7	..	
Mattancherry	94	25	13.8	1	..	1	8.3	5	
Quilon	82	113	74.8	2	2	1.3	..	
Trichur†	
Trivandrum	247	153	32.2	1	1	3	..	19	4.0	3	
Kozhikode	187	229	63.7	9	2	10	..	73	20.3	13	
Palghat	82	16	20.2	2	1	1	..	23	14.6	3	
Cannanore	49	21	22.3	1	..	5	5.3	2	
Tellicherry	43	51	61.7	16	19.4	4	
Cochin	33	17	26.8	10	15.8	3	
TOTAL	11,88	676	29.6	12	4	17	2	169	3.2	33	
Kerala														
w/e 27-12-58														
Alleppey	195	1	0.2	3	0.8	..	
Changanacherry	44	11	13.0	1	2	2.4	..	
Kottayam	55	14	13.2	2	..	5	4.7	..	
Ernakulam	77	8	5.4	6	4.1	1	
Mattancherry	94	14	7.8	1	9	5.0	3	
Quilon	82	109	69.1	1	6	3.8	1	
Trichur	80	4	2.6	5	3.3	..	
Trivandrum	247	47	9.9	1	1	12	2.5	..	
Kozhikode	187	182	50.6	3	3	4	..	62	17.2	16	
Palghat	82	26	17.8	1	1	3	2	17	10.8	3	
Cannanore	49	22	23.4	1	..	4	..	12	12.7	8	
Tellicherry	43	33	39.9	1	1	10	12.1	..	
Cochin	33	68	107.2	3	..	11	17.3	1	
TOTAL	1,268	541	22.2	7	7	17	3	160	6.6	33	
Kerala														
w/e 3-1-59														
Alleppey	195	20	5.3	1	..	1	..	7	1.9	..	
Changanacherry	44	3	3.6	
Kottayam	55	21	19.9	6	5.7	..	
Ernakulam	77	9	6.1	1	..	5	3.4	1	
Mattancherry	94	26	14.4	1	9	5.0	3	
Quilon	82	88	55.8	1	..	4	2.5	1	
Trichur	80	12	7.8	1	4	2.6	..	
Trivandrum	247	57	12.0	4	1	1	..	10	2.1	..	
Kozhikode	187	172	47.8	4	1	4	1	49	13.6	11	
Palghat	82	98	62.2	3	2	2	2	33	20.9	4	
Cannanore	49	24	25.5	2	..	7	7.4	..	
Tellicherry	43	37	44.7	3	1	16	19.4	3	
Cochin	33	45	70.9	2	2	10	15.8	2	
TOTAL	1,268	612	25.1	13	5	17	6	160	5.6	25	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th January, 1959—*contd.*

Deaths from :—													
Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Deaths from :—													
w/e 10-1-59													
Madras													
Ambur	48	37	40.1	1	1	15	5.4	..
Aruppukottai	64	52	42.2	3	3	1	..	24	19.5	6
Bodinayakanur	43	22	26.6	5	8	9.7	4
Chidambaram	44	38	44.9	3	..	10	11.8	1
Coimbatore	279	317	59.1	..	4	..	2	11	22	..	104	19.4	32
Cuddalore	77	63	42.5	3	..	2	..	26	17.6	6
Dindigul	103	50	25.2	2	1	2	..	10	5.0	3
Erode	79	42	27.6	2	2	16	10.5	3
Gobichempalayam	51	14	14.3	4	4.1	1
Gudiyattam	60	44	38.1	3	3	..	31	26.8	8
Kancheepuram	94	47	26.0	2	14	1	33	18.3	8
Karakudi	49	21	22.3	5	9	9.6	2
Karur	60	33	28.6	1	10	8.7	2
Kumbakonam	119	79	34.5	4	6	5	1	57	24.9	4
Madras City	2,110	1517	37.4	9	14	..	85	133	232	3	889	21.9	227
Madurai	510	394	40.2	13	27	26	..	193	19.7	53
Mayuram	55	41	38.8	1	1	1	1	15	14.2	1
Malappalayam	44	12	14.2	4	7	8.3	1
Nagapattinam	62	47	39.4	5	3	3	..	24	20.1	6
Nagercoil	113	61	28.1	5	1	2	..	21	9.7	..
Ootacamund	54	31	29.9	3	..	8	7.7	2
Palani	46	28	31.7	2	..	4	..	15	17.0	3
Palayamkottai	50	43	44.7	5	1	..	1	22	22.9	8
Periyakulam	36	24	34.7	3	3	1	16	23.1	4
Pollachi	63	48	39.6	1	3	..	11	9.1	4
Pudukottai	56	32	29.7	1	19	17.6	2
Rajapalayam	77	43	29.0	4	5	7	1	30	20.3	5
Salem	293	180	31.9	6	5	12	..	63	11.2	8
Sriangam	48	61	66.1	1	1	4	..	10	10.8	1
Srivilliputtur	46	32	36.2	1	1	1	..	11	12.4	5
Tanjore	138	110	41.4	3	3	..	46	17.3	8
Tiruchirappalli	285	218	39.8	5	5	6	..	82	15.0	8
Tirunelveli	86	59	35.7	5	1	..	24	14.5	5
Tiruppur	77	62	41.9	2	1	5	1	23	15.5	5
Tiruvannamalai	48	48	52.0	2	4	1	16	17.3	5
Tuticorin	124	103	43.2	11	14	..	42	17.6	18
Vaniyambadi	46	50	56.5	1	7	..	17	19.2	6
Vellore	147	107	37.9	4	6	13	..	60	21.2	16
Villupuram	42	41	50.8	..	1	2	..	13	16.1	3
Virudhunagar	59	10	8.8	3	3	1	..	12	10.6	2
TOTAL	5,885	4,261	37.7	9	19	..	163	252	414	13	2,036	18.0	486
Rajasthan													
Supplementary Figure													
w/e 3-1-1959													
Beawar	65	10	8.0	5	1	1	..	12	9.6	2
Bikaner	118	100	44.0	2	3	10	..	22	9.6	..
Churu	52	3	3.0	1	1.0	..
Ganganagar	65	4	3.2	3	..	1	..	7	5.6	1
Kotah	83	18	11.2	11	..	2	..	21	13.3	4
Sikar	55	2	1.8	1
w/e 27-12-58													
Sikar	55	1	0.9	1	2	1.8	..
w/e 20-12-58													
Sikar	55	2	1.8	1
Rajasthan													
Supplementary Figure													
w/e 10-1-59													
Alwar	61	44	37.5	2	2	2	..	16	13.6	3
Bikaner	118	100	44.0	3	2	10	..	29	12.7	..
Kotah	85	2	1.2	..	2	..	6	14	8.3	5
Udaipur	125	15	6.0	1	6	2.0	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths in this statement for the week ending 17th January, 1959 relate to 133 towns from the States of Bihar, Delhi, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 20,887 thousand out of a total population of 48,445 thousand in 324 towns of the country. The number of births and deaths recorded in these towns were 10,219 and 4,140

registering birth and death rates of 25.4 and 10.3 per thousand of population respectively.

The town of Puri in Orissa State recorded high death rates of 36.5 per thousand of population.

The following table gives the registered rates for different States :—

States	Current w/e 17-1-59		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	21.6	5.9	15.4	6.3
Delhi	15.7	4.8	23.2	6.2
Madras	25.4	13.7	28.2	16.9
Mysore	29.8	9.3	20.1	9.3
Orissa	46.9	22.9	46.3	23.8
Pondicherry	41.2	12.2	49.7	17.6
Punjab	25.4	8.4	35.2	7.8
Rajasthan	11.0	8.1	13.1	8.4
Uttar Pradesh	29.5	11.1	30.5	13.9
India	25.4	10.3	26.1	11.9

NEW DELHI-2 (INDIA) ; }
The 9th February, 1959. }

H. R. SHARMA,
for Registrar General, India.

